

A GUIDE TO COMMERCIAL VEHICLE **BRAKE SHOE RE-LINING**

SAFE WORKING PRACTICES

- Although a dust free working environment is always the safest practice the handling of Ferodo linings is not subject to any health and safety requirements.
- However, the following regulations do apply if additional machining, drilling or brake servicing activities are carried out in the workshop.
- The Control of Substances Hazardous to Health Regulations 1988 (COSHH).
- The Environmental Protection Act 1990 (E.P.A.) Part 1.

(Further information on this subject is available on request). Regulations apply to U.K. only. In other countries the relevant statutory requirements should be referred to.

INITIAL INSPECTION OF SHOES

Brake shoes must not be re-lined if they exhibit any of the following faults:


- A Excessive wear around shoe tip abutment or
- **B** Broken welds.
- C Distortion of shoe webs.
- Distortion of shoe platform areas.
- **E** Excessive corrosion.



REMOVAL OF LININGS FROM SHOES


• Never 'drill-out' the rivets as this may cause damage to the brake shoe holes. (Exception see note 1).

Note 1: German standard fully-tubular rivets should be removed using a special extraction punch (Fully-Tubular Rivet Extractor).




If a service tool is not available, the clenched head of the rivet may be removed by drilling or chiselling. (Extreme care must be taken to ensure the brake shoe rivet holes are not damaged during this operation).

 Always use correct diameter rivet extraction punch



IDENTIFICATION OF BRAKE LINING(S)

- With the lining(s) removed from the shoe the lining(s), (A) width, (B) inside length and (C) radius dimensions can be accurately
- Reference can then be made to the Ferodo catalogue for identification of the correct part number.



.75mm (.030")

FURTHER INSPECTION OF USED SHOES

With the lining/s removed from the shoe, further inspection is now possible. Particular attention must be made to the following areas:

- A Concavity of shoe platform
- **B** Rivet hole size C Shoe platform condition
- D Corrosion

(The clearance between the rivet shank and the shoe hole must not exceed 0.020

175mm or more (7"+)

(.50mm))	
SHOE PLATFORM WIDTH	VV
Up to 100mm (4")	.25mm (.010")
125-150mm (5-6")	.50mm (.020")


BRAKE SHOE PREPARATION


All Ferodo linings are manufactured to precise machining tolerances. The correct attachment of the friction material to the brake shoes can only be achieved when the metalwork components have undergone a cleansing operation. This consists of:

- Degrease The removal of grease and associated debris.
- Shot blast (not aluminium shoes) Removal of rust and shale build-up.
- Paint To provide protection against corrosive attack.

RIVET FASTENERS (TYPES)

Various types of rivet fasteners are used to re-line commercial vehicle shoes. British Standard (semi-tubular) and German Standard (fully-tubular) are the most popular. Copper, steel or brass are suitable rivet materials.








EXAMPLE: 8x10 RIVET


EXAMPLE: L9 RIVET

RIVETING EQUIPMENT









STANDARD (SEMI-TUBULAR) AND GERMAN STANDARD (FULLY-TUBULAR) **HOLLOW RIVETS** RIVET SHANK DIA RECOMMENDED PUN 1 or x1

5mm 6mm

8mm

СН	RIVET SHANK DIA.	RECOMMENDED EXTRACTOR
	4mm	4mm Hollow Extractor
	5mm	5mm Hollow Extractor
	6mm	6mm Hollow Extractor
	8mm	8mm Hollow Extractor

RIVETING PUNCHES TUBULAR HOLLOW RIVETS

EXTRACTION PUNCHES TUBULAR (HOLLOW) RIVETS

10mm Hollow Extractor

ALL THE ABOVE PART NO. SPECIFICATIONS ARE APPLICABLE TO

BRYDEN RE-LINE EQUIPMENT

It is of paramount importance that all re-line equipment is checked for serviceability.


THE CORRECT 'SETTING-UP' PROCEDURE FOR YOUR RE-LINE MACHINE


Re-line (Air pressures)

The pressure settings vary according to the design of machine being used and rivet type. Pressure gauges should be calibrated at regular intervals.

Anvil Height Settings (A)

Refer to machine manufacturers recommendations. (Further advice on machine pressure settings and anvil height is available on request).





10 CLENCHING THE RIVETS

• Ensure that the correct rivet type is fitted.

BRITISH STANDARD - BS3575 Semi-tubular copper

& copper coated steel

GERMAN STANDARD - DIN 7338C Fully-tubular copper coated

& zinc coated steel

DIAMETER CODE	SHANK DIAMETER D1		HEAD DIAMETER D2	
Е	1/8″	3.2mm	7/32"	5.6mm
F	9/64"	3.6mm	19/64"	7.5mm
G	5/32"	4.0mm	5/16"	7.9mm
Н	11/64"	4.4mm	5/16"	7.9mm
J	3/16"	4.8mm	3/8"	9.5mm
K	7/32"	5.6mm	27/64"	10.7mm
L	1/4"	6.4mm	15/32"	11.9mm
M	5/16"	7.9mm	9/16"	14.3mm
N	3/8"	9.5mm	5/8"	15.9mm

l	DIAMETER CODE	SHANK DIAMETER D1	HEAD DIAMETER D2
1	4	4mm	7.5mm
1	5	5mm	9.5mm
1	6	6mm	11.5mm
1	8	8mm	15.5mm
1	10	10mm	19.5mm
n			
n			


SPECIAL RIVETS

TYPE	SHANK DIAMETER D1	HEAD DIAMETER D2	LENGTH L	APPLICATION
S290	0.234" 5.9mm	0.468" 11.9mm	0.547" 13.9mm	Semi-tubular,150° tapered head, brass-plated mild steel rivet for the re-line of selected trailer shoes

• The length of the rivet should protrude through the shoe platform 3/4 of the rivet hole diameter. (Note: on British Standard rivets the solid portion of the rivet shank should be in line with the shoe platform inner radius). See note (A)


Check using rivet protrusion gauge


- Select the appropriate sizes of rim punch & anvil, making sure that they are in a serviceable condition.
- The rivet turn-over should be neatly rolled.



11 RIVET CLENCHING SEQUENCE

The correct rivet clenching sequence is to start with the central rivet hole areas, and work diagonally outward. It is recommended that a traceability tag should be added in one of the central rivet hole locations.





12 FINAL INSPECTION OF THE LINED SHOE ASSEMBLY

A Lining Security May be checked by lightly tapping

the friction material with a metallic instrument. A high pitched response denotes secure lining. A dull thud denotes insecure lining.


B Lining / Shoe Gaps


Gaps must not exceed .015mm (.006") beyond the rivet hole line. This should be checked with a feeler gauge.


C Rivet Turn-Over Check that the roll-over is neat and secure.

D Friction Material Fractures Check the outer surface and lining edges for fractures. E Traceability Tag

Check tag is secure and in position.








EXAMPLES OF POOR BRAKE RE-LINE PRACTICE






fitted (Too short)















web distortion



shoe abutment

10

points