



ETRIER FORD ESCORT/OR AVD



Remanufactured

Core code : 30

FETAET



3599771748817



TECHNICAL DATA

Fitting Position	in front of axle
Fitting Position	Front Axle Right
Brake Caliper Type	Fist-type Caliper
Brake Caliper Type	Brake Caliper (1 piston)
Manufacturer Restriction	ATE
for brake disc thickness [mm]	10 mm
paired article number	ET3700
Piston Diameter [mm]	54 mm

PICTURES



Before installation, compare the part received with the original part to ensure that the correct part number has been selected and can be installed on the vehicle. Failure to follow those, or the manufacturer, instructions will void the warranty.

FORD		
ESCORT (80-86) (GAA) - 1.1	50 ch	08.1983 > 12.1985
	55 ch	09.1980 > 08.1983
	59 ch	09.1980 > 08.1983
ESCORT (80-86) (GAA) - 1.3	69 ch	09.1980 > 12.1985
ESCORT (80-86) (GAA) - 1.6	79 ch	09.1980 > 12.1985
ESCORT (80-86) (GAA) - 1.6 i	90 ch	07.1985 > 12.1985
ESCORT (80-86) (GAA) - 1.6	97 ch	09.1980 > 10.1982
ESCORT (80-86) (GAA) - 1.6 D	54 ch	02.1984 > 12.1985
ESCORT (80-86) Break (AWA) - 1.1	50 ch	08.1983 > 12.1985
	54 ch	09.1980 > 08.1983
ESCORT (80-86) Break (AWA) - 1.3	69 ch	03.1981 > 12.1985
ESCORT (80-86) Break (AWA) - 1.6	79 ch	09.1980 > 12.1985
ESCORT (80-86) Break (AWA) - 1.6 D	54 ch	02.1984 > 12.1985
ESCORT (86-90) (GAF, AWF, ABFT) - 1.1	50 ch	12.1985 > 07.1990
ESCORT (86-90) (GAF, AWF, ABFT) - 1.3	60 ch	01.1986 > 07.1990
	63 ch	07.1988 > 10.1990
ESCORT (86-90) (GAF, AWF, ABFT) - 1.4	73 ch	01.1986 > 07.1990
	75 ch	01.1986 > 07.1990
ESCORT (86-90) (GAF, AWF, ABFT) - 1.6	88 ch	04.1989 > 07.1990
ESCORT (86-90) (GAF, AWF, ABFT) - 1.6 i	90 ch	01.1986 > 05.1990
	102 ch	08.1989 > 07.1990
ESCORT (86-90) (GAF, AWF, ABFT) - 1.6 XR3i	105 ch	01.1986 > 08.1989
ESCORT (86-90) (GAF, AWF, ABFT) - 1.6 Turbo RS	132 ch	01.1986 > 07.1990
ESCORT (86-90) (GAF, AWF, ABFT) - 1.6 D	54 ch	01.1986 > 01.1989
ESCORT (86-90) (GAF, AWF, ABFT) - 1.8 D	60 ch	01.1989 > 07.1990
ESCORT (80-86) Cabriolet (ALD) - 1.3	69 ch	09.1983 > 12.1985
ESCORT (80-86) Cabriolet (ALD) - 1.6	79 ch	09.1983 > 12.1985
ESCORT (80-86) Cabriolet (ALD) - 1.6 i	105 ch	09.1983 > 12.1985
ESCORT (86-90) Break (AWF, AVF) - 1.1	50 ch	10.1985 > 09.1990
ESCORT (86-90) Break (AWF, AVF) - 1.3	60 ch	01.1986 > 07.1990
ESCORT (86-90) Break (AWF, AVF) - 1.4	73 ch	01.1986 > 07.1990
	75 ch	01.1986 > 07.1990
ESCORT (86-90) Break (AWF, AVF) - 1.6 i	90 ch	01.1986 > 07.1990
ESCORT (86-90) Break (AWF, AVF) - 1.6 D	54 ch	01.1986 > 01.1989
ESCORT (86-90) Break (AWF, AVF) - 1.8 D	60 ch	01.1989 > 07.1990
ESCORT (86-90) Cabriolet (ALF) - 1.4	73 ch	02.1987 > 07.1990
	75 ch	01.1986 > 07.1990
ESCORT (86-90) Cabriolet (ALF) - 1.6 i	90 ch	01.1986 > 07.1990
	102 ch	08.1989 > 07.1990
ESCORT (86-90) Cabriolet (ALF) - 1.6 XR3i	105 ch	01.1986 > 07.1990
ORION (83-86) (AFD) - 1.3	69 ch	07.1983 > 03.1986
ORION (83-86) (AFD) - 1.6	79 ch	07.1983 > 03.1986
ORION (83-86) (AFD) - 1.6 i	105 ch	07.1983 > 03.1986
ORION (83-86) (AFD) - 1.6 D	54 ch	02.1984 > 03.1986
ORION (86-90) (AFF) - 1.3	60 ch	12.1985 > 07.1990
	69 ch	11.1986 > 07.1988
ORION (86-90) (AFF) - 1.4	72 ch	03.1986 > 07.1990
	73 ch	01.1986 > 07.1990
ORION (86-90) (AFF) - 1.4 Cat	73 ch	02.1987 > 07.1990
ORION (86-90) (AFF) - 1.4	75 ch	12.1985 > 07.1990
ORION (86-90) (AFF) - 1.6	90 ch	12.1985 > 07.1990

FORD		
ORION (86-90) (AFF) - 1.6 i Cat	90 ch	03.1986 > 07.1990
ORION (86-90) (AFF) - 1.6 i	102 ch	02.1986 > 07.1990
	105 ch	03.1986 > 07.1990
ORION (86-90) (AFF) - 1.6 D	54 ch	12.1985 > 01.1989
ORION (86-90) (AFF) - 1.8 D	60 ch	01.1989 > 07.1990
ESCORT III Express (AVA) - 1.1	50 ch	03.1981 > 02.1986
ESCORT III Express (AVA) - 1.3	69 ch	03.1981 > 02.1986
ESCORT III Express (AVA) - 1.6	84 ch	03.1981 > 02.1986
ESCORT III Express (AVA) - 1.6 D	54 ch	02.1984 > 02.1986
ESCORT IV Express (AVF) - 1.1	50 ch	05.1986 > 07.1990
ESCORT IV Express (AVF) - 1.3	60 ch	02.1986 > 07.1990
	63 ch	07.1988 > 07.1990
ESCORT IV Express (AVF) - 1.4 i	73 ch	02.1986 > 07.1990
ESCORT IV Express (AVF) - 1.6 D	54 ch	02.1986 > 07.1990
ESCORT IV Express (AVF) - 1.8 D	60 ch	07.1988 > 07.1990