


POMP DIR FORD ESCORT


Remanufactured

Core code : 70

FCDADP



3599771890837


TECHNICAL DATA

Operating Mode	hydraulic
for steering manufacturer	VISTEON
Rotation Direction	Clockwise rotation
Overall Length [mm]	104 mm
Pressure Line Connection Thread Size	Ø18mm
Backflow Connector Thread Size	F16x150
Baseplate	EMB25
Position of the input pipe [clock]	3 hours (clock hand)
Pulley fitting	on baseplate
Number of rear fixation points	1

PICTURES


Before installation, compare the part received with the original part to ensure that the correct part number has been selected and can be installed on the vehicle. Failure to follow those, or the manufacturer, instructions will void the warranty.

FORD		
ESCORT (90-92) (GAL) - 1.6 i 16V	88 ch	01.1994 > 01.1995
	90 ch	09.1992 > 01.1995
ESCORT (90-92) (GAL) - 1.8 16V XR3i	105 ch	02.1992 > 01.1995
ESCORT (90-92) (GAL) - 1.8 XR3i 16V 4x4	105 ch	08.1993 > 01.1995
ESCORT (90-92) (GAL) - 1.8 16V XR3i	130 ch	02.1992 > 01.1995
ESCORT (90-92) (GAL) - 1.8 XR3i 16V 4x4	130 ch	08.1993 > 01.1995
ESCORT (90-92) (GAL) - RS 2000	150 ch	05.1991 > 01.1995
ESCORT (90-92) (GAL) - RS 2000 4x4	150 ch	05.1991 > 01.1995
ESCORT (90-92) (GAL) - 1.8 TD	90 ch	02.1993 > 01.1995
ESCORT (90-92) Cabriolet (ALL) - 1.6 i 16V	88 ch	02.1994 > 01.1995
ESCORT (90-92) Cabriolet (ALL) - 1.6 16V XR3i	90 ch	12.1992 > 01.1995
ESCORT (90-92) Cabriolet (ALL) - 1.8 16V XR3i	105 ch	02.1992 > 01.1995
	130 ch	02.1992 > 01.1995
ESCORT (90-92) Break (GAL, AVL) - 1.6 i 16V	88 ch	01.1994 > 01.1995
	90 ch	09.1992 > 01.1995
ESCORT (90-92) Break (GAL, AVL) - 1.8 16V	105 ch	02.1992 > 01.1995
ESCORT (90-92) Break (GAL, AVL) - 1.8 i 16V	130 ch	02.1993 > 01.1995
ESCORT (90-92) Break (GAL, AVL) - 1.8 TD	90 ch	02.1993 > 01.1995
ESCORT (95-00) Cabriolet (ALL) - 1.4	75 ch	02.1995 > 08.1998
ESCORT (95-00) Cabriolet (ALL) - 1.6 16V XR3i	88 ch	02.1995 > 12.1996
	90 ch	02.1995 > 09.1999
ESCORT (95-00) Cabriolet (ALL) - 1.8 16V XR3i	105 ch	02.1995 > 08.1998
	115 ch	10.1995 > 08.1998
	130 ch	02.1995 > 08.2000
ESCORT (92-95) 3 volumes (GAL) - 1.6 i 16V	88 ch	01.1994 > 01.1995
	90 ch	08.1993 > 01.1995
ESCORT (92-95) 3 volumes (GAL) - 1.8 i 16V	105 ch	08.1993 > 01.1995
ESCORT (92-95) 3 volumes (GAL) - 1.8 D	60 ch	08.1993 > 01.1995
ESCORT (92-95) 3 volumes (GAL) - 1.8 TD	90 ch	08.1993 > 01.1995
ESCORT (95-00) 3 volumes (GAL, AFL) - 1.3	60 ch	01.1995 > 02.1999
ESCORT (95-00) 3 volumes (GAL, AFL) - 1.4	75 ch	01.1995 > 02.1999
ESCORT (95-00) 3 volumes (GAL, AFL) - 1.6 i 16V	88 ch	01.1995 > 08.1995
	90 ch	01.1995 > 02.1999
ESCORT (95-00) 3 volumes (GAL, AFL) - 1.8 16V	105 ch	01.1995 > 08.1995
	115 ch	01.1995 > 02.1999
ESCORT (95-00) (GAL, AAL, ABL) - 1.3	60 ch	01.1995 > 10.1998
ESCORT (95-00) (GAL, AAL, ABL) - 1.4	75 ch	01.1995 > 10.1998
ESCORT (95-00) (GAL, AAL, ABL) - 1.6 i 16V	88 ch	01.1995 > 08.1995
ESCORT (95-00) (GAL, AAL, ABL) - 1.6 16V	90 ch	01.1995 > 10.1998
ESCORT (95-00) (GAL, AAL, ABL) - 1.6 16V 4x4	90 ch	01.1995 > 10.1998
ESCORT (95-00) (GAL, AAL, ABL) - 1.8 16V	105 ch	01.1995 > 08.1995
	115 ch	01.1995 > 10.1998
ESCORT (95-00) (GAL, AAL, ABL) - RS 2000	150 ch	02.1995 > 02.1998
ESCORT (95-00) (GAL, AAL, ABL) - RS 2000 4x4	150 ch	02.1995 > 10.1998
ESCORT (95-00) Clipper (GAL, ANL) - 1.3	60 ch	01.1995 > 10.1998
ESCORT (95-00) Clipper (GAL, ANL) - 1.4	75 ch	01.1995 > 02.1999
ESCORT (95-00) Clipper (GAL, ANL) - 1.6 i 16V	88 ch	01.1995 > 08.1995
ESCORT (95-00) Clipper (GAL, ANL) - 1.6 16V	90 ch	01.1995 > 02.1999
ESCORT (95-00) Clipper (GAL, ANL) - 1.8 16V	105 ch	01.1995 > 08.1995
	115 ch	01.1995 > 02.1999
ESCORT CLASSIC (AAL, ABL) - 1.6 16V	90 ch	10.1998 > 07.2000

FORD

ESCORT CLASSIC (AAL, ABL) - 1.8 TD	90 ch	10.1998 > 07.2000
ESCORT CLASSIC Turnier (ANL) - 1.6 16V	90 ch	02.1999 > 07.2000
ESCORT CLASSIC Turnier (ANL) - 1.8 TD	90 ch	02.1999 > 07.2000
ESCORT VI Fourgon/Break (AVL) - 1.4	73 ch	01.1995 > 08.2000