

## DONNEES TECHNIQUES

Type de réseau de bord	<b>pour véhicules 12V</b>
Puissance nominale [kW]	<b>1</b>
Nombre de dents	<b>10T</b>
Direction de rotation	<b>rotation CW</b>
Nombre de taraudages	<b>3</b>
Nombre de trous de fixation	<b>3</b>
Connectique	<b>SOL66</b>


## PHOTOS



### BULLETIN TECHNIQUE TB-05

Ce démarreur n'utilise pas de bobinage en cuivre ou en aluminium, mais utilise des aimants ferreux permanents. Si vous traitez ce démarreur brutalement (chute ou coup de marteau sur le démarreur ou le solénoïde), les aimants se fissureront ou casseront. Ceci entraînant la destruction du démarreur.

This starter doesn't use field coils made from copper or aluminium, but uses ferrite permanent magnets. If you treat this starter roughly (e.g. drop or hit on the starter motor or solenoid with a hammer) the magnets will crack or break. Causing the starter to fail.




## DOCUMENTS

**BT-130 Refus des carcasses alternateurs/démarrateurs**

## APPLICATIONS

<b>FORD</b>		
COURIER Camionnette (F3L, F5L) - 1.3	60 ch	09.1991 > 02.1996
ESCORT 81 Courier (AVA) - 1.1	50 ch	03.1981 > 02.1986
ESCORT 86 Courier (AVF) - 1.1	50 ch	05.1986 > 07.1990
ESCORT 86 Courier (AVF) - 1.3	60 ch	02.1986 > 07.1990
	63 ch	07.1988 > 07.1990
ESCORT 86 Courier (AVF) - 1.4 i	73 ch	02.1986 > 07.1990
ESCORT (80-86) (GAA) - 1.6	79 ch	09.1980 > 12.1985
ESCORT (80-86) Break (AWA) - 1.6	79 ch	09.1980 > 12.1985
ESCORT (80-86) Cabriolet (ALD) - 1.6	79 ch	09.1983 > 12.1985
ESCORT (86-90) (GAF, AWF, ABFT) - 1.1	50 ch	12.1985 > 07.1990
ESCORT (86-90) (GAF, AWF, ABFT) - 1.3	60 ch	01.1986 > 07.1990
ESCORT (86-90) (GAF, AWF, ABFT) - 1.3 (GAF)	63 ch	07.1988 > 10.1990
ESCORT (86-90) (GAF, AWF, ABFT) - 1.4	70 ch	10.1985 > 10.1990
	75 ch	01.1986 > 07.1990
ESCORT (86-90) (GAF, AWF, ABFT) - 1.6	79 ch	01.1986 > 12.1988
	88 ch	04.1989 > 07.1990
ESCORT (86-90) Break (AWF, AVF) - 1.1	50 ch	10.1985 > 09.1990
ESCORT (86-90) Break (AWF, AVF) - 1.4	75 ch	01.1986 > 07.1990
ESCORT (86-90) Break (AWF, AVF) - 1.6	79 ch	01.1986 > 07.1990
ESCORT (86-90) Cabriolet (ALF) - 1.4	75 ch	01.1986 > 07.1990
ESCORT (86-90) Cabriolet (ALF) - 1.6	79 ch	01.1986 > 12.1987
ESCORT (90-92) (GAL) - 1.4	71 ch	07.1990 > 09.1992
ESCORT (90-92) (GAL) - 1.6	105 ch	07.1990 > 12.1992
ESCORT (90-92) Break (GAL, AVL) - 1.4	71 ch	07.1990 > 09.1992
ESCORT (90-92) Break (GAL, AVL) - 1.6	105 ch	07.1990 > 09.1992
ESCORT (90-92) Cabriolet (ALL) - 1.4	71 ch	07.1990 > 12.1992
ESCORT (90-92) Cabriolet (ALL) - 1.6	105 ch	07.1990 > 12.1992
ESCORT (92-95) (GAL) - 1.3	60 ch	09.1992 > 01.1995
ESCORT (92-95) (GAL) - 1.4	71 ch	09.1992 > 01.1995
ESCORT (92-95) 3 volumes (GAL) - 1.3	60 ch	08.1993 > 01.1995
ESCORT (92-95) 3 volumes (GAL) - 1.4	71 ch	08.1993 > 04.1994
	75 ch	08.1993 > 01.1995
ESCORT (92-95) Break (GAL) - 1.3	60 ch	09.1992 > 01.1995
ESCORT (92-95) Break (GAL) - 1.4	71 ch	09.1992 > 01.1994
	75 ch	01.1994 > 01.1995
ESCORT (92-95) Cabriolet (ALL) - 1.4	71 ch	12.1992 > 04.1994
ESCORT (95-00) (GAL, AAL, ABL) - 1.3	60 ch	01.1995 > 10.1998
ESCORT (95-00) (GAL, AAL, ABL) - 1.4	75 ch	01.1995 > 10.1998
ESCORT (95-00) 3 volumes (GAL, AFL) - 1.3	60 ch	01.1995 > 02.1999
ESCORT (95-00) 3 volumes (GAL, AFL) - 1.4	75 ch	01.1995 > 02.1999
ESCORT (95-00) Clipper (GAL, ANL) - 1.3	60 ch	01.1995 > 10.1998
ESCORT (95-00) Clipper (GAL, ANL) - 1.4	75 ch	01.1995 > 02.1999
FIESTA (83-89) (FBD) - 1.0	45 ch	09.1983 > 11.1989
FIESTA (83-89) (FBD) - 1.0 (FBD)	45 ch	09.1983 > 02.1989
FIESTA (83-89) (FBD) - 1.1 (FBD)	49 ch	05.1986 > 02.1989
	50 ch	09.1983 > 02.1989
FIESTA (83-89) (FBD) - 1.3	60 ch	09.1983 > 09.1989
	69 ch	09.1983 > 09.1989

<b>FORD</b>		
FIESTA (83-89) (FBD) - 1.3 (FBD)	69 ch	09.1983 > 01.1987
FIESTA (83-89) (FBD) - 1.4 (FBD)	71 ch	10.1986 > 02.1989
	73 ch	02.1987 > 02.1989
	75 ch	10.1985 > 11.1989
FIESTA (89-97) (GFJ) - 1.1	50 ch	03.1989 > 12.1995
	55 ch	03.1989 > 12.1995
FIESTA (89-97) (GFJ) - 1.3	60 ch	03.1989 > 12.1992
	60 ch	03.1989 > 12.1995
FIESTA (89-97) (GFJ) - 1.3 KAT	60 ch	05.1991 > 01.1997
FIESTA (89-97) (GFJ) - 1.4	71 ch	03.1989 > 12.1995
	73 ch	03.1989 > 12.1995
	75 ch	11.1992 > 12.1996
FIESTA (89-97) (GFJ) - 1.4 KAT	73 ch	03.1989 > 12.1995
FIESTA (89-97) (GFJ) - 1.6	88 ch	01.1989 > 01.1994
	90 ch	03.1989 > 12.1992
FIESTA (89-97) (GFJ) - 1.6 Turbo (FBJT)	131 ch	03.1990 > 10.1992
FIESTA (89-97) (GFJ) - 1.6 XR2i	103 ch	03.1989 > 03.1993
	110 ch	03.1989 > 01.1994
ORION (86-90) (AFF) - 1.3	60 ch	12.1985 > 07.1990
ORION (86-90) (AFF) - 1.4	73 ch	01.1986 > 07.1990
	75 ch	12.1985 > 07.1990
ORION (86-90) (AFF) - 1.4 KAT	73 ch	02.1987 > 07.1990
ORION (90-93) (GAL) - 1.3	60 ch	09.1990 > 08.1992
ORION (90-93) (GAL) - 1.6	90 ch	07.1990 > 12.1992
ORION (90-93) (GAL) - 1.6 i	105 ch	07.1990 > 09.1992
<b>SEAT</b>		
CORDOBA (93-99) (6K2/C2) - 2.0 i	115 ch	02.1993 > 06.1999

 Avant montage, comparez la pièce reçue à celle d'origine afin de vérifier que la bonne pièce a été choisie et peut être montée sur le véhicule. Le non-respect de cette consigne ou des instructions de montage annule la garantie.